


FORM PTO-1449 (Modified)				U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No.: UM-06102		Serial No.: 09/778,548	
INFORMATIONAL DISCLOSURE STATEMENT BY APPLICANT (Several Sheets If Necessary)						Applicant: David M. Lubman <i>et al.</i>			
(37 CFR § 1.98(b))						Filing Date: 02/07/01		Group Art Unit: 1631	
U.S. PATENT DOCUMENTS									
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	Filing Date		
AM	1	6,002,127	12/14/99	Vestal <i>et al.</i>	250	282			
AM	2	5,498,545	3/12/96	Vestal	436	47			
AM	3	5,670,054	9/23/97	Kibbey <i>et al.</i>	210	656			
AM	4	5,131,998	7/21/92	Jorgenson <i>et al.</i>	204	299R			
AM	5	6,139,734	10/31/00	Settlage <i>et al.</i>	210	656			
AM	6	6,315,905	11/13/01	Settlage <i>et al.</i>	210	656			
AM	7	20030143647 A1	7/31/03	Finn <i>et al.</i>					
AM	8	2,002,003,9747	02/07/01	Lubman, <i>et al.</i>					
AM	9	20030064527	04/26/02	Lubman, <i>et al.</i>					
AM	10	20030058239	04/26/02	Wall, <i>et al.</i>					
AM	11	09/968930	10/4/01	Lubman, <i>et al.</i>					
AM	12	10/448,564	10/09/01	Lubman, <i>et al.</i>					
FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS									
		Document Number	Publication Date	Country / Patent Office	Class	Subclass	Translation		
							Yes	No	
AM	13	WO 01/58925	08/16/01	PCT					
AM	14	WO 02/088701	11/07/02	PCT					
AM	15	WO 01/58926	03/2/03	PCT					
AM	16	WO 01/59460	03/2/03	PCT					
	17	<del>PCT/US03/16099</del>	<del>07/30/03</del>	<del>PCT</del>					
AM	18	EP 0617048	9/28/94	EP					
AM	19	WO 98/40395	9/17/98	PCT					
AM	20	WO 98/23950	6/4/98	PCT					
AM	21	WO 97/01755	1/16/97	PCT					
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)									
AM	22	Rossomando <i>et al.</i> , Identification of Tyr-185 as the site of tyrosine autophosphorylation of recombinant mitogen-activated protein kinase p42mapk, Proc Natl Acad Sci U S A. 1992 Jul 1;89(13):5779-83;							
AM	23	Henderson <i>et al.</i> , Direct identification of an endogenous peptide recognized by multiple HLA-A2.1-specific cytotoxic T cells, Proc Natl Acad Sci U S A, 90(21): 10275-9 (1993);							
AM	24	Kingan <i>et al.</i> , The loss of female sex pheromone after mating in the corn earworm moth <i>Helicoverpa zea</i> : identification of a male pheromonostatic peptide. Proc Natl Acad Sci U S A. 1995 May 23;92(11):5082-6;							
AM	25	Hungerford <i>et al.</i> , Identification of a Novel Marker for Primordial Smooth Muscle and Its Differential Expression Pattern in Contractile vs Noncontractile Cells, J. Cell Biol. 137(4) May 19, 1997: 925-937;							
AM	26	Pierce <i>et al.</i> , Cutting Edge: The HLA-A*0101-Restricted HY Minor Histocompatibility Antigen Originates from DFFRY and Contains a Cysteinyllated Cysteine Residue as Identified by a Novel Mass Spectrometric Technique, The Journal of Immunology, 163: 6360-6364 (1999);							
AM	27	Martin <i>et al.</i> , Subfemtomole MS and MS/MS Peptide Sequence Analysis Using Nano-HPLC Micro-ESI Fourier Transform Ion Cyclotron Resonance Mass Spectrometry, Anal. Chem.; 72(18) pp 4266 - 4274 (2000) (abstract only);							
EXAMINER:									Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 (Modified)		U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No.: UM-06102	Serial No.: 09/778,548
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (See Several Sheets If Necessary)				Applicant: David M. Lubman <i>et al.</i>	
(37 CFR § 1.98(b))				Filing Date: 02/07/01	Group Art Unit: 1631
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
AM	28	Ayala <i>et al.</i> , Use of Rotofor preparative isoelectrofocusing cell in protein purification procedure, Appl Biochem Biotechnol, 69(1):11-16 (1998)			
AM	29	Bini <i>et al.</i> , Protein expression profiles in human breast ductal carcinoma and histologically normal tissue, Electrophoresis, 18(15):2832-2841 (1997)			
AM	30	Chen <i>et al.</i> , Identification of proteins from two-dimensional gel electrophoresis of human erythroleukemia cells using capillary high performance liquid chromatography/electrospray-ion trap-reflection time-of-flight mass spectrometry with two-dimensional topographic map analysis of in-gel tryptic digest products, Rapid Commun Mass Spectrom, 13(19):1907-1916 (1999)			
AM	31	Chen <i>et al.</i> , Rapid identification and screening of proteins from whole cell lysates of human erythroleukemia cells in the liquid phase, using non-porous reversed phase high-performance liquid chromatography separations of proteins followed by matrix-assisted [correction of multi-assisted] laser desorption/ionization mass spectrometry analysis and sequence database searching, Rapid Commun Mass Spectrom, 12(24):1994-2003 (1998)			
AM	32	Chong <i>et al.</i> , Rapid screening of protein profiles of human breast cancer cell lines using non-porous reversed-phase high performance liquid chromatography separation with matrix-assisted laser desorption/ionization time-of-flight mass spectral analysis, Rapid Commun Mass Spectrom, 13(18):1808-1812 (1999)			
AM	33	Dai <i>et al.</i> , Two-layer sample preparation: a method for MALDI-MS analysis of complex peptide and protein mixtures, Anal Chem, 71(5):1087-1091 (1999)			
AM	34	Figeys and Aebersold, Microfabricated modules for sample handling, sample concentration and flow mixing: application to protein analysis by tandem mass spectrometry, J Biomech Eng, 121(1):7-12 (1999)			
AM	35	Fuqua <i>et al.</i> , Induction of the estrogen-regulated "24K" protein by heat shock, Cancer Res, 49(15):4126-4129 (1989)			
AM	36	Griffin <i>et al.</i> , Direct database searching with MALDI-PSD spectra of peptides, Rapid Commun Mass Spectrom, 9(15):1546-1551 (1995)			
AM	37	Hanash, Advances in Electrophoresis, 1-44, (1998)			
AM	38	Herbert, Advances in protein solubilisation for two-dimensional electrophoresis, Electrophoresis, 20(4-5):660-663 (1999)			
AM	39	Immler <i>et al.</i> , Identification of phosphorylated proteins from thrombin-activated human platelets isolated by two-dimensional gel electrophoresis by electrospray ionization-tandem mass spectrometry (ESI-MS/MS) and liquid chromatography-electrospray ionization-mass spectrometry (LC-ESI-MS), Electrophoresis, 19(6):1015-1023 (1998)			
AM	40	Liang <i>et al.</i> , Determination of bacterial protein profiles by matrix-assisted laser desorption/ionization mass spectrometry with high-performance liquid chromatography, Rapid Commun Mass Spectrom, 10(10):1219-1226 (1996)			
AM	41	Matsui <i>et al.</i> , Immobilized pH gradient two-dimensional gel electrophoresis and mass spectrometric identification of cytokine-regulated proteins in ME-180 cervical carcinoma cells, Electrophoresis, 18(3-4):409-417 (1997)			
AM	42	Mohammad <i>et al.</i> , Induced expression of alpha-enolase in differentiated diffuse large cell lymphoma, Enzyme Protein, 48(1):37-44 (1994)			
AM	43	Neubauer and Mann, Mapping of phosphorylation sites of gel-isolated proteins by nanoelectrospray tandem mass spectrometry: potentials and limitations, Anal Chem, 71(1):235-242 (1999)			
AM	44	Nilsson <i>et al.</i> , Isolation and characterization of proteins from human lymphocyte nuclei using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and post-source decay analysis, Rapid Commun Mass Spectrom, 11(6):610-612 (1997)			
AM	45	Opiteck <i>et al.</i> , Comprehensive two-dimensional high-performance liquid chromatography for the isolation of overexpressed proteins and proteome mapping, Anal Biochem, 258(2):349-361 (1998)			
AM	46	Patterson and Aebersold, Mass spectrometric approaches for the identification of gel-separated proteins, Electrophoresis, 16(10):1791-1814 (1995)			
AM	47	Pinto <i>et al.</i> , An enhanced microfluidic chip coupled to an electrospray Qstar mass spectrometer for protein identification, Electrophoresis, 21(1):181-190 (2000)			
AM	48	Rasmussen <i>et al.</i> , Two-dimensional gel database of human breast carcinoma cell expressed proteins: an update, Electrophoresis, 19(5):818-825 (1998)			
AM	49	Redner <i>et al.</i> , The t(5;17) variant of acute promyelocytic leukemia expresses a nucleophosmin-retinoic acid receptor fusion, Blood, 87(3):882-886 (1996)			
Examiner: <i>Andin Mansueti</i>		Date Considered: 12-27-03			
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

RECEIVED  
 OCT 17 2003  
 TECH CENTER 16072900

FORM PTO-1449 (Modified)		U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No.: UM-06102	Serial No.: 09/778,548
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (See Several Sheets if Necessary)				Applicant: David M. Lubman <i>et al.</i>	
				Filing Date: 02/07/01	Group Art Unit: 1631
(37 CFR § 1.98(b))					
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
AM	50	Reid <i>et al.</i> , Capillary column chromatography improves sample preparation for mass spectrometric analysis: complete characterization of human alpha-enolase from two-dimensional gels following in situ proteolytic digestion, <i>Electrophoresis</i> , 19(6):946-955 (1998)			
	<del>51</del>	<del>Righetti, Isoelectric focusing: theory, methodology, and applications, Elsevier Biomedical Press, Elsevier North Holland, 1st, (1982)</del>			
AM	52	Rosenfeld <i>et al.</i> , In-gel digestion of proteins for internal sequence analysis after one- or two-dimensional gel electrophoresis, <i>Anal Biochem</i> , 203(1):173-179 (1992)			
AM	53	Sanchez <i>et al.</i> , Inside SWISS-2DPAGE database, <i>Electrophoresis</i> , 16(7):1131-1151 (1995)			
AM	54	Sirover, New insights into an old protein: the functional diversity of mammalian glyceraldehyde-3-phosphate dehydrogenase, <i>Biochim Biophys Acta (BBA) - Protein Structure and Molecular Enzymology</i> , 1432(2):159-184 (1999)			
AM	55	Steller, Mechanisms and genes of cellular suicide, <i>Science</i> , 267(5203):1445-1449 (1995)			
AM	56	ten Hoeve <i>et al.</i> , Isolation and chromosomal localization of CRKL, a human crk-like gene, <i>Oncogene</i> , 8(9):2469-2474 (1993)			
AM	57	Wall <i>et al.</i> , Isoelectric focusing nonporous RP HPLC: a two-dimensional liquid-phase separation method for mapping of cellular proteins with identification using MALDI-TOF mass spectrometry, <i>Anal Chem</i> , 72(6):1099-1111 (2000)			
AM	58	Wall <i>et al.</i> , Rapid profiling of induced proteins in bacteria using MALDI-TOF mass spectrometric detection of nonporous RP HPLC-separated whole cell lysates, <i>Anal Chem</i> , 71(17):3894-3900 (1999)			
AM	59	Welsh <i>et al.</i> , Variation in expression of hsp27 messenger ribonucleic acid during the cycle of the seminiferous epithelium and co-localization of hsp27 and microfilaments in Sertoli cells of the rat, <i>Biol Reprod</i> , 55(1):141-151 (1996)			
AM	60	Yates, Mass spectrometry and the age of the proteome, <i>J Mass Spectrom</i> , 33(1):1-19 (1998)			
AM	61	Zugaro <i>et al.</i> , Characterization of rat brain stathmin isoforms by two-dimensional gel electrophoresis-matrix assisted laser desorption/ionization and electrospray ionization-ion trap mass spectrometry, <i>Electrophoresis</i> , 19(5):867-876 (1998)			
AM	62	Chong <i>et al.</i> , Rapid profiling of E. coli proteins up to 500 kDa from whole cell lysates using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, <i>Rapid Commun Mass Spectrom</i> , 11(17):1900-1908 (1997)			
AM	63	Opiteck <i>et al.</i> , Two-dimensional SEC/RPLC coupled to mass spectrometry for the analysis of peptides, <i>Anal Chem</i> , 69(13):2283-2291 (1997)			
AM	64	Regnier and Huang, Future potential of targeted component analysis by multidimensional liquid chromatography-mass spectrometry, <i>J Chromatogr A</i> , 750(1-2):3-10 (1996)			
AM	65	Andrews <i>et al.</i> , Analysis of DNA adducts using high-performance separation techniques coupled to electrospray ionization mass spectrometry, <i>J Chromatogr A</i> , 856(1-2):515-526 (1999)			
AM	66	Ball, Purification of synthetic peptides with the aid of reversible chromatographic probes, <i>J Chromatogr A</i> , 686(73-83):1994			
AM	67	Binz <i>et al.</i> , A molecular scanner to automate proteomic research and to display proteome images, <i>Anal Chem</i> , 71(21):4981-4988 (1999)			
AM	68	Davidsson and Nilsson, Peptide mapping of proteins in cerebrospinal fluid utilizing a rapid preparative two-dimensional electrophoretic procedure and matrix-assisted laser desorption/ionization mass spectrometry, <i>Biochim Biophys Acta</i> , 1473(2-3):391-399 (1999)			
AM	69	Lee, Protein separation using non-porous sorbents, <i>J Chromatogr B Biomed Sci Appl</i> , 699(1-2):29-45 (1997)			
AM	70	Medzihradsky <i>et al.</i> , Protein sequence and structural studies employing matrix-assisted laser desorption ionization-high energy collision-induced dissociation, <i>International Journal of Mass Spectrometry and Ion Processes</i> , 160(1-3):357-369 (1997)			
AM	71	Nimura <i>et al.</i> , Fast protein separation by reversed-phase high-performance liquid chromatography on octadecylsilyl-bonded non-porous silica gel. Effect of particle size of column packing on column efficiency., <i>J Chromatogr</i> , 585(207-211) (1991)			
AM	72	Richmond, High-throughput flow injection analysis-mass spectrometry with networked delivery of colour rendered results: the characterisation of liquid chromatography fractions, <i>J Chromatogr A</i> , 835(29-39) (1999)			
	<del>73</del>	<del>Wilkins <i>et al.</i>, From proteins to proteomes: large-scale protein identification by two-dimensional electrophoresis and amino acid analysis, <i>Biotechnology (N.Y.)</i>, 14(1):61-65 (1996)</del>			
Examiner:		Date Considered:		12-27-03	
EXAMINER:		Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

RECEIVED  
OCT 17 2003  
TECH CENTER 160012900

FORM PTO-1449  
(Modified)U.S. Department of Commerce  
Patent and Trademark Office

Attorney Docket No.: UM-06102

Serial No.: 09/778,548

INFORMATION DISCLOSURE STATEMENT BY APPLICANT  
(Use Separate Sheet If Necessary)Applicant: David M. Lubman *et al.*

Filing Date: 02/07/01

Group Art Unit: 1631

(37 CFR § 1.98(b))

## OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

AM	74	Toribio <i>et al.</i> , J. Chromat. B 684:1 [1996] reviews methods for the chromatographic and electrophoretic purification of pyridine nucleotide-dependent enzymes
AM	75	Houen <i>et al.</i> , Characterization of protein carboxy-terminal ends using carboxypeptidase peptide Y: Sequence, composition, and identification of the carboxy-terminal peptide by peptide mapping, Methods Molecular Cellular Biology, 3(4):175-182 (1992) (abstract only)
	76	<del>Raznikov <i>et al.</i>, Selective digital filtering of mass spectra of chromatography data for determination of "target" compounds in complex mixtures, Advances in Mass Spectrometry, 14 (EO44280/44281-EO44280/44211) (1998) (abstract only)</del>
	77	<del>SZE <i>et al.</i>, Time-of-flight effects in matrix assisted laser desorption/ionization Fourier transform mass spectrometry, Rapid Commun Mass Spectrom, 13(5):398-406 (1999) (abstract only)</del>
AM	78	Wall <i>et al.</i> , Isoelectric focusing nonporous silica reversed-phase high-performance liquid chromatography/electrospray ionization time-of-flight mass spectrometry: a three-dimensional liquid-phase protein separation method as applied to the human erythroleukemia cell-line, Rapid Commun Mass Spectrom, 15(18):1649-1661 (2001)
AM	79	Wall <i>et al.</i> , Three-dimensional protein map according to pI, hydrophobicity and molecular mass, J Chromatogr B Analyt Technol Biomed Life Sci, 774(1):53-58 (2002)
AM	80	Zgoda <i>et al.</i> , Prediction and experimental confirmation of the cytochrome b5 three-dimensional peptide map, Physical Chemical Biology and Medicine, 2(3):135-142 (1995) (abstract only)
AM	81	Wilkins and Williams, Cross-species protein identification using amino acid composition, peptide mass fingerprinting, isoelectric point and molecular mass: a theoretical evaluation, J Theor Biol, 186(1):7-15 (1997) (abstract only)
AM	82	Anderson <i>et al.</i> , A two-dimensional gel database of rat liver proteins useful in gene regulation and drug effects studies, Electrophoresis, 12(11):907-930 (1991)
AM	83	Damerval, Quantification of silver-stained proteins resolved by two-dimensional electrophoresis: genetic variability as related to abundance and solubility in two maize lines, Electrophoresis, 15(12):1573-1579 (1994)
AM	84	Kahn, From genome to proteome: looking at a cell's proteins, Science, 270(5235):369-370 (1995);
AM	85	Neidhardt <i>et al.</i> , Genomically linked cellular protein databases derived from two-dimensional polyacrylamide gel electrophoresis, Electrophoresis, 10(2):116-122 (1989)
AM	86	O'Farrell, High resolution two-dimensional electrophoresis of proteins, J Biol Chem, 250(10):4007-4021 (1975)
AM	87	Patterson, Matrix-assisted laser-desorption/ionization mass spectrometric approaches for the identification of gel-separated proteins in the 5-50 pmol range, Electrophoresis, 16(7):1104-1114 (1995)
AM	88	Aebersold <i>et al.</i> , Internal amino acid sequence analysis of proteins separated by one- or two-dimensional gel electrophoresis after in situ protease digestion on nitrocellulose, Proc Natl Acad Sci U S A, 84(20):6970-6974 (1987)
AM	89	Brown and Cooper, Regulation, substrates and functions of src, Biochim Biophys Acta, 1287(2-3):121-149 (1996)
AM	90	Cohen and Chait, Mass spectrometry of whole proteins eluted from sodium dodecyl sulfate-polyacrylamide gel electrophoresis gels, Anal Biochem, 247(2):257-267 (1997)
AM	91	Courchesne <i>et al.</i> , Comparison of in-gel and on-membrane digestion methods at low to sub-pmol level for subsequent peptide and fragment-ion mass analysis using matrix-assisted laser-desorption/ionization mass spectrometry, Electrophoresis, 18(3-4):369-381 (1997)
AM	92	Davidsson <i>et al.</i> , Characterization of proteins from human cerebrospinal fluid by a combination of preparative two-dimensional liquid-phase electrophoresis and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, Anal Chem, 71(3):642-647 (1999)
AM	93	Dawson <i>et al.</i> , MCF10AT: a model for the evolution of cancer from proliferative breast disease, Am J Pathol, 148(1):313-319 (1996)
AM	94	Egan <i>et al.</i> , Activation of Src in human breast tumor cell lines: elevated levels of phosphotyrosine phosphatase activity that preferentially recognizes the Src carboxy terminal negative regulatory tyrosine 530, Oncogene, 18(5):1227-1237 (1999)
AM	95	Gottlieb and Oren, p53 in growth control and neoplasia, Biochimica et Biophysica Acta, 1287(2-3):77-102 (1996). This publication describes a structural and functional review of p53
AM	96	Hayakawa <i>et al.</i> , Isoelectric focusing of biotinidase and lipoamidase with the addition of non-ionic detergent, Anal Chim Acta, 372(1-2):281-289 (1998)
AM	97	Haynes <i>et al.</i> , Proteome analysis: biological assay or data archive?, Electrophoresis, 19(11):1862-1871 (1998) (abstract only)

Examiner:

Arden Mansuet

Date Considered:

12-27-03

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 (Modified)		U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No.: UM-06102	Serial No.: 09/778,548
<b>INFORMATION ENCLOSURE STATEMENT BY APPLICANT</b> (Use several Sheets if necessary) (37 CFR § 1.98(b))				Applicant: David M. Lubman <i>et al.</i>	
				Filing Date: 02/07/01	Group Art Unit: 631
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
AM	98	Henzel <i>et al.</i> , Identifying proteins from two-dimensional gels by molecular mass searching of peptide fragments in protein sequence databases, <i>Proc Natl Acad Sci U S A</i> , 90(11):5011-5015 (1993)			
	99	<del>Lahn and Langer, Mass spectrometry: a tool for the identification of proteins separated by gels, 21(2):411-429 (2000)</del>			
AM	100	Li <i>et al.</i> , Development of a three-dimensional topographic map display for capillary electrophoresis/mass spectrometry with an ion trap/reflectron time-of-flight mass spectrometer detector: applications to tryptic digests of isoforms of myelin basic protein, <i>J Am Soc Mass Spectrom</i> , 9(7):701-709 (1998)			
AM	101	Liang <i>et al.</i> , Characterization of SDS-PAGE-separated proteins by matrix-assisted laser desorption/ionization mass spectrometry, <i>Anal Chem</i> , 68(6):1012-1018 (1996)			
AM	102	Liang and Pardee, Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction, <i>Science</i> , 257(5072):967-971 (1992)			
AM	103	Link <i>et al.</i> , Direct analysis of protein complexes using mass spectrometry, <i>Nat Biotechnol</i> , 17(7):676-682 (1999)			
AM	104	Loo <i>et al.</i> , Mass Spectrometry of Proteins Directly from Polyacrylamide Gels, <i>Anal Chem</i> , 68(11):1910 - 1917 (1996)			
AM	105	Lopez, Better approaches to finding the needle in a haystack: optimizing proteome analysis through automation, <i>Electrophoresis</i> , 21(6):1082-1093 (2000)			
AM	106	MacNair <i>et al.</i> , Rapid separation and characterization of protein and peptide mixtures using 1.5 microns diameter non-porous silica in packed capillary liquid chromatography/mass spectrometry, <i>Rapid Commun Mass Spectrom</i> , 11(12):1279-1285 (1997)			
AM	107	Maggiolini <i>et al.</i> , Adrenal androgens stimulate the proliferation of breast cancer cells as direct activators of estrogen receptor alpha, <i>Cancer Res</i> , 59(19):4864-4869 (1999)			
AM	108	Mao <i>et al.</i> , Activation of c-Src by receptor tyrosine kinases in human colon cancer cells with high metastatic potential, <i>Oncogene</i> , 15(25):3083-3090 (1997)			
AM	109	Michael, Detection of electrospray ionization using a quadrupole ion trap storage/reflectron time-of-flight mass spectrometer, <i>Anal Chem</i> , 65(26):2614-2620 (1994)			
AM	110	Miller <i>et al.</i> , Differential display, subtractive hybridization, and application of methodology to search for point mutations to identify genetic defects responsible for progression in MCF10AT model of human breast disease, <i>Electrophoresis</i> , 20(2):256-260 (1999)			
AM	111	Miller <i>et al.</i> , Xenograft model of progressive human proliferative breast disease, <i>J Natl Cancer Inst</i> , 85(21):1725-1732 (1993)			
AM	112	Mills <i>et al.</i> , Prospective study of exogenous hormone use and breast cancer in Seventh-day Adventists, <i>Cancer</i> , 64(3):591-597 (1989)			
AM	113	Molinari <i>et al.</i> , Estradiol induces functional inactivation of p53 by intracellular redistribution, <i>Cancer Res</i> , 60(10):2594-2597 (2000)			
AM	114	Nilsson <i>et al.</i> , Identification of proteins in a human pleural exudate using two-dimensional preparative liquid-phase electrophoresis and matrix-assisted laser desorption/ionization mass spectrometry, <i>Electrophoresis</i> , 20(4-5):860-865 (1999)			
AM	115	Ottenhoff-Kalff <i>et al.</i> , Characterization of protein tyrosine kinases from human breast cancer: involvement of the c-src oncogene product, <i>Cancer Res</i> , 52(17):4773-4778 (1992)			
AM	116	Ozturk <i>et al.</i> , Detection of c-erbB-2 mRNAs using dig-labelled oligonucleotide probe with in situ hybridisation in human breast carcinoma: comparison with immunohistochemical results, <i>Anal Cell Pathol</i> , 16(4):201-209 (1998)			
AM	117	Porter <i>et al.</i> , Role of estrogen receptor/Sp1 complexes in estrogen-induced heat shock protein 27 gene expression, <i>Mol Endocrinol</i> , 10(11):1371-1378 (1996)			
AM	118	Qian and Lubman, Analysis of tryptic digests using microbore HPLC with an ion trap storage/reflectron time-of-flight detector, <i>Anal Chem</i> , 67(17):2870-2877 (1995)			
AM	119	Rodriguez <i>et al.</i> , Towards stoichiometric silver staining of proteins resolved in complex two-dimensional electrophoresis gels: real-time analysis of pattern development, <i>Electrophoresis</i> , 14(7):628-637 (1993)			
AM	120	Rosen <i>et al.</i> , Analysis of pp60c-src protein kinase activity in human tumor cell lines and tissues, <i>J Biol Chem</i> , 261(29):13754-13759 (1986)			
Examiner: <i>Adam Manley</i>		Date Considered: 12-27-03			
<b>EXAMINER:</b> Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

FORM PTO-1449  
(Modified)U.S. Department of Commerce  
Patent and Trademark Office

Attorney Docket No.: UM-06102

Serial No.: 09/778,548

INFORMATION DISCLOSURE STATEMENT BY APPLICANT  
(Use Several Sheets if Necessary)Applicant: David M. Lubman *et al.*

(37 CFR § 1.98(b))

Filing Date: 02/07/01

Group Art Unit: 1631

## OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

AM	121	Ruddon, Cancer biology, Oxford University Press, 3rd, 318-340 (1995)
AM	122	Russell <i>et al.</i> , Cyclin D1 and D3 associate with the SCF complex and are coordinately elevated in breast cancer, <i>Oncogene</i> , 18(11):1983-1991 (1999)
	123	<del>Santer <i>et al.</i>, MCF 10CA1 cell lines: New highly tumorigenic derivatives of the MCF 10AT system, <i>Proc Am Assoc Cancer Res</i>, 39(202) (1998) (abstract only)</del>
AM	124	Schweinfest and Pappas, Subtraction hybridization: an approach to the isolation of genes differentially expressed in cancer and other biological system (Review), <i>Intern J Oncol</i> , 1(499-506)(1992)
AM	125	Shekhar <i>et al.</i> , Transcriptional activation of functional endogenous estrogen receptor gene expression in MCF10AT cells: a model for early breast cancer, <i>Int J Oncol</i> , 13(5):907-915 (1998)
AM	126	Shevchenko <i>et al.</i> , Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels, <i>Anal Chem</i> , 68(5):850-858 (1996)
AM	127	Soule <i>et al.</i> , Isolation and characterization of a spontaneously immortalized human breast epithelial cell line, MCF-10, <i>Cancer Res</i> , 50(18):6075-6086 (1990)
AM	128	Sturtevant, Applications of differential-display reverse transcription-PCR to molecular pathogenesis and medical mycology, <i>Clin Microbiol Rev</i> , 13(3):408-427 (2000)
AM	129	Tesarik <i>et al.</i> , Estradiol modulates breast cancer cell apoptosis: a novel nongenomic steroid action relevant to carcinogenesis, <i>Steroids</i> , 64(1-2):22-27 (1999)
AM	130	Tetu <i>et al.</i> , Prognostic significance of heat-shock protein-27 in node-positive breast carcinoma: an immunohistochemical study, <i>Breast Cancer Res Treat</i> , 36(1):93-97 (1995)
AM	131	Thomas <i>et al.</i> , Exogenous estrogens and other risk factors for breast cancer in women with benign breast diseases, <i>J Natl Cancer Inst</i> , 69(5):1017-1025 (1982)
AM	132	Williams <i>et al.</i> , Analysis of differential protein expression in normal and neoplastic human breast epithelial cell lines, <i>Electrophoresis</i> , 19(2):333-343 (1998)
AM	133	Yang and Lee, Capillary isoelectric focusing-electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry for protein characterization, <i>Anal Chem</i> , 70(15):3235-3241 (1998)
AM	134	Figelys and Aebersold, Nanoflow solvent gradient delivery from a microfabricated device for protein identifications by electrospray ionization mass spectrometry, <i>Anal Chem</i> , 70(18):3721-3727 (1998) (abstract only);
AM	135	Figelys <i>et al.</i> , Data-dependent modulation of solid-phase extraction capillary electrophoresis for the analysis of complex peptide and phosphopeptide mixtures by tandem mass spectrometry: application to endothelial nitric oxide synthase, <i>Anal Chem</i> , 71(13):2279-2287 (1999) (abstract only);
AM	136	Figelys <i>et al.</i> , Protein identification by solid phase microextraction-capillary zone electrophoresis-microelectrospray-tandem mass spectrometry, <i>Nat Biotechnol</i> , 14(11):1579-1583 (1996) (abstract only);
AM	137	Figelys <i>et al.</i> , "An integrated microfluidics-tandem mass spectrometry system for automated protein analysis," <i>Anal. Chem.</i> 70:3728 (1998) (Abstract only);
AM	138	Figelys <i>et al.</i> , Microfabricated device coupled with an electrospray ionization quadrupole time-of-flight mass spectrometer: protein identifications based on enhanced-resolution mass spectrometry and tandem mass spectrometry data, <i>Rapid Commun Mass Spectrom</i> , 12(20):1435-1444 (1998) (Abstract only);
AM	139	Figelys <i>et al.</i> , A microfabricated device for rapid protein identification by microelectrospray ion trap mass spectrometry, <i>Anal Chem</i> , 69(16):3153-3160 (1997);
	140	<del>Figelys <i>et al.</i>, Optimization of solid-phase microextraction-capillary zone electrophoresis-mass spectrometry for high sensitivity protein identification, <i>Electrophoresis</i>, 19(13):2338-2347 (1998) (abstract only)</del>
AM	141	Hunt <i>et al.</i> , Characterization of peptides bound to the class I MHC molecule HLA-A2.1 by mass spectrometry, <i>Science</i> . 1992 Mar 6;255(5049):1261-3 (abstract only)
AM	142	Flyer, <i>et al.</i> , Identification by Mass Spectrometry of CD8+-T-Cell Mycobacterium tuberculosis Epitopes within the Rv0341 Gene Product, <i>Infection and Immunity</i> , 70(6):2926-2932; (June 2002);
AM	143	Henderson <i>et al.</i> , HLA-A2.1-associated peptides from a mutant cell line: a second pathway of antigen presentation, <i>Science</i> . 1992 Mar 6;255(5049):1264-6 (abstract only)

Examiner:

Adam Mawley

Date Considered:

12-27-03

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.